

ENVI Insight

Tailings Dam Monitoring

Tailings Dam Monitoring

Displacement (mm)

Minimum
Selection required on one or more elements

Maximum
Selection required on one or more elements

Average
Selection required on one or more elements



Selection required on one or more elements

Selection required on one or more elements

Selection required on one or more elements


Tailings Dam Monitoring

Filter by Confidence
Enter a number 0 -1

Filter Displacement Profile
Enter a Date Range

Select an AOI ID

- Displacement (mm)**
- Minimum**
Selection required on one or more elements
- Maximum**
Selection required on one or more elements
- Average**
Selection required on one or more elements



- Selection required on one or more elements
- Selection required on one or more elements

Selection required on one or more elements

Tailings Dam Monitoring

Displacement (mm)

Minimum
Selection required on one or more elements

Maximum
Selection required on one or more elements

Average
Selection required on one or more elements



Selection required on one or more elements

Selection required on one or more elements

Selection required on one or more elements

Tailings Dam Monitoring


Displacement (mm)

Minimum **-75.50**

Maximum **-2.60**

Average **-44.45**

Confidence
77.8%
High Confidence
>70%



Tailings Dam Monitoring

Displacement (mm)

Minimum **-75.50**


Maximum **-2.60**

Average **-44.45**

Confidence

77.8%

High Confidence
>70%



Tailings Dam Monitoring

Displacement (mm)

Minimum **-75.50**

Maximum **-2.60**


Average **-44.45**



Confidence

77.8%

High Confidence
>70%



Tailings Dam Monitoring

Displacement (mm)

Minimum **-68.20**

Maximum **-59.30**

Average **-63.60**



Confidence

77.8%

High Confidence
>70%



Tailings Dam Monitoring

Filter by Confidence
Enter a number 0 -1

Filter Displacement Profile
1/1/2022 - 6/30/2022


Select an AOI ID

Displacement (mm)

Minimum **-60.70**

Maximum **-50.40**


Average **-56.17**



Confidence

83.6%

High Confidence
>70%




Tailings Dam Monitoring

Displacement (mm)

Minimum **-60.70**

Maximum **-50.40**

Average **-56.17**



Confidence

83.6%

High Confidence

>70%

